

Installation guide


Thank you for purchasing a Lopolight product. Our products are built to ensure a long lifetime in the most extreme marine conditions.

Mounting:

Go to www.lopolight.com or use the QR code to get to the 'products' section where the datasheet, that includes the dimensional drawing, is found.



Horizontally mounted lights are opened/closed as illustrated. Please ensure lock screw engages correctly.




Connecting power:

Supply Voltage: Any DC voltage between 20 and 32 volts (24 Volt systems).

Cabled lights: Red wire: Positive (+) Black wire: Negative (-).

(Double light: cables, same colour)





Light with green connector:

Single light:

Pin 1: Positive (+) Pin 2: Negative (-) (pin 3-5: not used)

Double light:

Primary light: Pin 1: Positive (+) Pin 2: Negative (-) Secondary light: Pin 4: Positive (+) Pin 5: Negative (-)

(pin 3 not used)

Recommended fuse or circuit breaker: Less than 2A (slow).

Grounding: The navigation light housing should not be connected to ground (Earth).

(We recommend that you connect the cable screen to ground (Earth)).

Cabling: Avoid chafe and route it away from sources of heat and large inductive

fields such as electric motors.

P/N 601-322 Rev 2.00 / 06 April 2022

24 Volt Lopolights



Cleaning your product:

Wipe off your product with a normal detergent, on a damp cloth.
 DO NOT use alcohol or thinner for cleaning your light – this could damage the lens.

Troubleshooting:

If the light does not function:

- Check that you have a supply Voltage between 20 and 32 Volt DC.
- Check that the polarity is right (you will not damage the Lopolight by accidentally wiring the polarity wrong).

End of life signaling:

Your Lopolight product has a microprocessor inside that ensures that the light has the required intensity over a 50.000-hour projected lifetime. The light will signal to you when it is getting to the end of its useful life. The following signals can be observed:

- All OK: 5 seconds after turning on the light it will go dark for 0,1 second and turn
 on again. This is just a check for you to assure that the microprocessor is working.
- Less than 2000 working hours left: The dark period is extended to 2 seconds: you should change the light at your next service within the next 12 months.
- Light Expired: The dark period is extended to 5 seconds: You should change the light immediately. (The light will still be working, even in the expired state)

Warranty:

- This product is covered by our 5-year limited warranty.
- If you want to claim a warranty for your product, please fill in the form at www.lopolight.com, under the Warranty tab.



Approvals:

The light in this package is type approved to the following standards:

EN-14744, UL-1104, COLREG72, IEC 60945

Recognized by the following authorities:

• IMO, MED (EU-wheelmark), USCG